


EXHIBIT T

U.S. Patent No. 8,228,910 (“the ’910 Patent”) Exemplary Infringement Chart

The Accused MoCA Instrumentalities are instrumentalities that DirecTV deploys to provide a whole-premises DVR network over an on-premises coaxial cable network, with devices operating with data connections compliant with MoCA 1.0, 1.1, and/or 2.0. The Accused MoCA Instrumentalities include the DirecTV HR24, DirecTV HR34, DirecTV HR44, DirecTV HR54, DirecTV HS17, DirecTV C31, DirecTV C41, DirecTV C51, DirecTV C61, DirecTV C61K and substantially similar instrumentalities. DirecTV literally and/or under the doctrine of equivalents infringes the claims of the ’910 Patent under 35 U.S.C. § 271(a) by making, using, selling, offering for sale, and/or importing the Accused MoCA Instrumentalities.


U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the ’910 Patent
3. A system for transmitting digital data over a network comprising:	<p>The Accused Services are provided using at least the Accused MoCA Instrumentalities including gateway devices (including, but not limited to, the DirecTV HR24, DirecTV HR34, DirecTV HR44, DirecTV HR54, DirecTV HS17, and devices that operate in a similar matter) and client devices (including, but not limited to, the DirecTV C31, DirecTV C41, DirecTV C51, DirecTV C61, DirecTV C61K, and devices that operate in a similar manner), and substantially similar instrumentalities. The Accused MoCA Instrumentalities operate to form a data communication network over an on-premises coaxial cable network as described below.</p> <p>The DirecTV full-premises DVR network constitutes a system for transmitting digital data over a network as claimed. The DirecTV full-premises DVR network is a MoCA network created between gateway devices and client devices using the on-premises coaxial cable network. This MoCA network is compliant with MoCA 1.0, 1.1, and/or 2.0.</p> <p>“The MoCA system network model creates a coax network which supports communications between a convergence layers in one MoCA node to the</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
	<p>corresponding convergence layer in another MoCA node.” (MoCA 1.1, Section 1.1. <i>See also</i> MoCA 2.0, Section 1.2.2)</p> <p>“The MoCA Network transmits high speed multimedia data over the in-home coaxial cable infrastructure.” (MoCA 1.1, Section 2. <i>See also</i> MoCA 2.0, Section 5)</p> <p>DirecTV utilizes the MoCA standard to provide an on-premises DVR network over an on-premises coaxial cable network as shown below:</p>  <p>The diagram illustrates a DirecTV MoCA network setup. At the top, a box labeled "DIRECTV SWM13-LNB" is connected via a blue line to a central splitter. Below the splitter, two distribution boxes are shown, each connected to a stack of three DVRs. A red line connects a "Line from power inserter to red port on all splitters." to the distribution boxes. Text instructions state: "Your installation may vary depending on the number of splitters needed. Always use the smallest number of splitters." and "Replace external SWM with 1x2 splitter if needed. If not replacing external SWM, run straight to 1x8 splitter." At the bottom, a note specifies: "Total number of tuners cannot exceed 13. Genie = 5 tuners (each Genie Client = 0 tuners) DVR = 2 tuners, receiver = 1 tuner".</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
<p>a transceiver adapted to receive a plurality of packet data units; and</p>	<p>The Accused MoCA Instrumentalities include a transceiver adapted to receive a plurality of packet data units as described below.</p> <p>For example, by virtue of their compliance with MoCA, the Accused MoCA Instrumentalities include circuitry and/or associated software modules constituting a transceiver adapted to receive a plurality of packet data units.</p> <p>“The MoCA system network model creates a coax network which supports communications between a convergence layer in one MoCA node to the corresponding convergence layer in another MoCA node.” (MoCA 1.1, Section 1.1. <i>See also</i> MoCA 2.0, Section 1.2.2)</p> <div data-bbox="976 779 1732 1339"> </div> <p>Figure 2-1. A Typical In-home Cable Network</p> <p>(MoCA 1.1, Figure 2-1. <i>See also</i> MoCA 2.0, Figure 1-1)</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
	<div data-bbox="840 349 1795 1031" data-label="Diagram"> <pre> graph TD MT[MoCA Transmissions] --> B[Beacon] MT --> MF[MAC Frame] MT --> P[Probes] MF -- Data --> EP[Ethernet Packet] MF -- Control --> C[Network Admission
Link Maintenance
Media Access Plan
Tx Power Control
Bandwidth Allocation
Link Privacy] </pre> <p>The diagram illustrates the functional blocks of a MoCA MAC implementation. At the top is a box labeled 'MoCA Transmissions'. Three arrows point down from this box to three separate boxes: 'Beacon', 'MAC Frame', and 'Probes'. From the 'MAC Frame' box, two arrows point down. The left arrow is labeled 'Data' and points to a box labeled 'Ethernet Packet'. The right arrow is labeled 'Control' and points to a vertical stack of six boxes: 'Network Admission', 'Link Maintenance', 'Media Access Plan', 'Tx Power Control', 'Bandwidth Allocation', and 'Link Privacy'.</p> </div> <p data-bbox="909 1057 1743 1089">Figure 2-3. Functional Blocks of a MoCA MAC Implementation</p> <p data-bbox="816 1122 1543 1154">(MoCA 1.1, Figure 2-3. <i>See also</i> MoCA 2.0, Figure 5-2)</p> <p data-bbox="816 1206 1896 1365">“Packet aggregation operation reduces the transmitted packet overhead by combining multiple Ethernet PDUs into a single MoCA MAC Frame transmission. This increases throughput by increasing the amount of data that traverses the MoCA Network in one scheduling opportunity.”</p> <p data-bbox="816 1373 1577 1406">(MoCA 1.1, Section 3.21. <i>See also</i> MoCA 2.0, Section 7.5)</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
<p>a packet aggregation module for identifying at least two of the plurality of packet data units that have a same destination node and for forming an aggregate packet from the at least two of the plurality of packet data units;</p>	<p>The Accused MoCA Instrumentalities include a packet aggregation module for identifying at least two of the plurality of packet data units that have a same destination node and for forming an aggregate packet from the at least two of the plurality of packet data units as described below.</p> <p>For example, by virtue of their compliance with MoCA, the Accused MoCA Instrumentalities include circuitry and/or associated software modules constituting a packet aggregation module for identifying at least two of the plurality of packet data units that have a same destination node and for forming an aggregate packet from the at least two of the plurality of packet data units.</p> <p>“Figure 3-39 shows the format of a MAC Frame containing aggregated packet payload. The MAC Frame consists of a MAC header, Packet Aggregation Header, and aggregated packet payload and MAC Payload CRC.” (MoCA 1.1, Section 3.21.1. <i>See also</i> MoCA 2.0, Section 7.5)</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
	 <p data-bbox="1058 760 1671 784">Figure 3-39. MAC Frame Containing Aggregated Packet Payload</p> <p data-bbox="816 857 1575 893">(MoCA 1.1, Figure 3-39. <i>See also</i> MoCA 2.0, Figure 7-12)</p> <p data-bbox="816 943 1896 1143">“The MAC header (Table A-1) includes the AGGREGATION_CONTROL field which carries the information about the Aggregation Header and whether the PDUs include the ETHERNET FCS. Table 3-70 shows format of the Aggregation Header field. The Aggregation Header has a variable-length, and includes the total number of PDUs being aggregated and the length of each PDU.”</p> <p data-bbox="816 1154 1600 1187">(MoCA 1.1, Section 3.21.1. <i>See also</i> MoCA 2.0, Section 7.5)</p> <p data-bbox="816 1237 1896 1393">“A Node transmitting an aggregated packet MUST only encapsulate Ethernet PDUs that share a common Aggregation ID. A unique Aggregation ID is defined for each unique tuple of {DESTINATION, PRIORITY} fields that would have appeared in the Reservation Request Element representing the PDU alone.”</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
<p>wherein the transceiver is adapted to transmit the aggregate packet to at least one destination node; and</p>	<p>(MoCA 1.1, Section 3.21.2.1. <i>See also</i> MoCA 2.0, Section 7.5)</p> <p>The transceiver is adapted to transmit the aggregate packet to at least one destination node as described below.</p> <p>For example, by virtue of their compliance with MoCA, the Accused MoCA Instrumentalities include circuitry and/or associated software modules constituting the transceiver adapted to transmit the aggregate packet to at least one destination node.</p> <p>“Before a Node uses packet aggregation for transmission to another Node, it MUST ensure that the receiving Node is capable of receiving packet aggregation at its level of aggregation by checking the receiving Node’s MOCA_VERSION_NUMBER, and by checking bits 7 and 8 of the receiving Node’s NODE_PROTOCOL_SUPPORT field.”</p> <p>(MoCA 1.1, Section 3.21.2. <i>See also</i> MoCA 2.0, Section 7.5)</p> <p>The transmitting Node MUST indicate the aggregated packet by sending a Reservation Request Element to the NC Node with the DURATION field corresponding to the actual size of the entire Aggregated Packet Frame.</p> <p>(MoCA 1.1, Section 3.21.2.1. <i>See also</i> MoCA 2.0, Section 7.5)</p> <p>“For aggregated packet transmissions to a single receiving Node, the transmitting Node MUST ensure that NPDU of the aggregated packet is less than or equal to the level of aggregation (see Table 3-6) for the receiving Node.”</p> <p>(MoCA 1.1, Section 3.21.2.1. <i>See also</i> MoCA 2.0, Section 7.5)</p>

U.S. Patent No. 8,228,910	The Accused MoCA Instrumentalities Form a Network That Practices at Least Claim 3 of the '910 Patent
<p>wherein the packet aggregation module identifies the same destination node by identifying a same aggregation identifier.</p>	<p>The packet aggregation module identifies the same destination node by identifying a same aggregation identifier as described below.</p> <p>For example, by virtue of their compliance with MoCA, the Accused MoCA Instrumentalities include circuitry and/or associated software modules constituting the packet aggregation module identifying the same destination node by identifying a same aggregation identifier.</p> <p>“A Node transmitting an aggregated packet MUST only encapsulate Ethernet PDUs that share a common Aggregation ID. A unique Aggregation ID is defined for each unique tuple of {DESTINATION, PRIORITY} fields that would have appeared in the Reservation Request Element representing the PDU alone.” (MoCA 1.1, Section 3.21.2.1. <i>See also</i> MoCA 2.0, Section 7.5)</p>